

HOMFUL

MARINE EQUIPMENTS

Click To Learn More



NINGBO HOMFUL IMPORT AND EXPORT CO., LTD.
5F, NO.10, JINSHAN NINE ROAD, NINGHAI, NINGBO, CHINA.
TEL: 0574-6528 8717/8718/8719
Email: info@homful.net
Web: www.homfulgroup.com




2025

ABOUT US

Ningbo Homful Import and Export Co., Ltd belongs to Homful Group, focuses on marine products and is committed to providing customers with OEM, ODM production solutions.

Founded in 2008, Homful Group integrates R&D, design, production and sales. Aspire to become the world's most popular outdoor supplies supplier. The mission of Homful Group is "Satisfy Customers, Live Better". The values of Homful Group are "Customer first, teamwork, studious, pragmatic, passionate and dedicated". Maintain a strong momentum of development, to provide customers with full service.



FOR CUSTOMER ONLY



Free HD
Photo & Video



Professional
R&D Team



VI&PI
Design



Free Inspection
Report



CONTENTS

1-16

Bimini top

17-29

Boat cover

30-33

Boat ladder

34-37

Water sports

38-44

Kayak accessories

45-64

Marine accessories

65-68

Marine bbq

69

Canvas Bag

BIMINI TOP

MATERIAL:

- Good wrinkle resistance and shape retention
- High strength and elastic recovery ability
- Durable marine-grade canvas to protect your beloved boat
- Stable chemical properties to ensure color fastness

Fabric	Fabric Weight (g/m ²)	Threads Per Unit Length	Color Fastness-Light	Hydrostatic Pressure	Warp Tearing Strength(kg)	UV
600D Polyester w/ PU Coating	230 ± 5g	76	200h, level 4 at USA standard	1000+	200.5kg	50+
600D Solution Dyed Polyester w/ PU Coating	230 ± 5g	76	500h, level 4 at USA standard	1000+	184.9kg	50+
1200D Polyester w/ PU Coating	320 ± 5g	54	200h, level 4 at USA standard	1000+	259.2kg	50+
Acrylic Fabric	300 ± 5g	122	500h, level 4 at USA standard	300+	233.4kg	50+

Oxford Fabric:

- Anti-Wrinkle treatment
- With high strong tear resistance
- High UV resistance
- Midewproof and high hydrostatic pressure



WATERPROOF



UV RESISTANCE



TEAR RESISTANCE



BREATHABLE

» Bimini Top With Sidewalls



3 BOW BIMINI TOP WITH SIDEWALLS


Item No.	Size
83B13A	3BOW L6'xW54-60"xH46"
83B13B	3BOW L6'xW61-66"xH46"
83B13C	3BOW L6'xW67-72"xH46"
83B13D	3BOW L6'xW73-78"xH46"
83B13E	3BOW L6'xW79-84"xH46"
83B13F	3BOW L6'xW85-90"xH46"
83B13G	3BOW L6'xW91-96"xH46"
83B13H	3BOW L6'xW97-103"xH46"

4 BOW BIMINI TOP WITH SIDEWALLS

Item No.	Size
83B32A	4BOW L8'xW54-60"xH54"
83B32B	4BOW L8'xW61-66"xH54"
83B32C	4BOW L8'xW67-72"xH54"
83B32D	4BOW L8'xW73-78"xH54"
83B32E	4BOW L8'xW79-84"xH54"
83B32F	4BOW L8'xW85-90"xH54"
83B32G	4BOW L8'xW91-96"xH54"
83B32H	4BOW L8'xW97-103"xH54"

» Product characteristics & Hot Selling Color


Bright anodized, aluminum round 1" frame
 100% Polyester marine grade
 Bimini sock and adjustable strap included
 Water repellent, UV resistance



» Product details



Spring Clip Make Quick Installation



Heavy Duty Top Cap-slide




Heavy Duty Nylon Deck Mount



Suitable Storage Bag

» How to measure dimensions



» Bimini Top Extension tarpaulin



600D dyed +25MM aluminum round tube + nylon fitting


Item No.	Size
80B77A	L47"xW54-60"
80B77B	L47"xW61-66"
80B77C	L47"xW67-72"
80B77D	L47"xW73-78"
80B77E	L47"xW79-84"
80B77F	L47"xW85-90"
80B77G	L47"xW91-96"
80B77H	L47"xW97-103"

600D yarn-dyed +22MM stainless steel + stainless steel fittings

Item No.	Size
80B77A	L47"xW54-60"
80B77B	L47"xW61-66"
80B77C	L47"xW67-72"
80B77D	L47"xW73-78"
80B77E	L47"xW79-84"
80B77F	L47"xW85-90"
80B77G	L47"xW91-96"
80B77H	L47"xW97-103"

» Product characteristics & Hot Selling Color


Effectively prevent UV, wind and rain
The support rod is retractable
Suitable for all kinds of ships



» Product details




Quick Installation



Heavy Duty Nylon Deck Mount




Heavy Duty Top Cap-slide



Steady support rod

» How to measure dimensions



» Bimini Top With Cutting



3 BOW BIMINI TOP

Item No.	Size
83B13A	3BOW L6'xW54-60"xH46"
83B13B	3BOW L6'xW61-66"xH46"
83B13C	3BOW L6'xW67-72"xH46"
83B13D	3BOW L6'xW73-78"xH46"
83B13E	3BOW L6'xW79-84"xH46"
83B13F	3BOW L6'xW85-90"xH46"
83B13G	3BOW L6'xW91-96"xH46"
83B13H	3BOW L6'xW97-103"xH46"

4 BOW BIMINI TOP


Item No.	Size
83B32A	4BOW L8'xW54-60"xH54"
83B32B	4BOW L8'xW61-66"xH54"
83B32C	4BOW L8'xW67-72"xH54"
83B32D	4BOW L8'xW73-78"xH54"
83B32E	4BOW L8'xW79-84"xH54"
83B32F	4BOW L8'xW85-90"xH54"
83B32G	4BOW L8'xW91-96"xH54"
83B32H	4BOW L8'xW97-103"xH54"

With cutting

Reduce product packaging volume




Without cutting



» Product characteristics & Hot Selling Color

Bright anodized, aluminum round 1" frame
 100% Polyester marine grade
 Bimini sock and adjustable strap included
 Water repellent, UV resistance



» Product details



Spring Clip Make Quick Installation



Heavy Duty Nylon Deck Mount




Heavy Duty Ny Cap-slide



Suitable Storage Bag

» How to measure dimensions



» 4 BOW ALUMINUM ROUND TUBE BIMINI TOP



Item No.	Size
80B33B	L8'xW61-66"xH54"
80B33C	L8'xW67-72"xH54"
80B33D	L8'xW73-78"xH54"
80B33E	L8'xW79-84"xH54"
80B33F	L8'xW85-90"xH54"
80B33G	L8'xW91-96"xH54"
80B33H	L8'xW97-103"xH54"

» 3 BOW ALUMINUM ROUND TUBE BIMINI TOP



Item No.	Size
80B13B	L6'xW61-66"xH46"
80B13C	L6'xW67-72"xH46"
80B13D	L6'xW73-78"xH46"
80B13E	L6'xW79-84"xH46"
80B13F	L6'xW85-90"xH46"
80B13G	L6'xW91-96"xH46"
80B13H	L6'xW97-103"xH46"


» 2 BOW ALUMINUM ROUND TUBE BIMINI TOP




Item No.	Size
80B03A	L5.5'xW47-53"xH46"
80B03B	L5.5'xW54-60"xH46"
80B03C	L5.5'xW61-66"xH46"

» Product characteristics & Hot Selling Color


Bright anodized, aluminum round 1" frame
 100% Polyester marine grade
 Bimini sock and adjustable strap included
 Water repellent, UV resistance



» Product details



» How to measure dimensions



» ADJUSTABLE BIMINI TOP




Nylon Fitting



Stainless Steel Support Rod




Water Repellent Uv Resistance



Elastic Retaining Buckle

- Adjustable height
- The shading area can be adjusted according to the movement of sunlight
- The width can be adjusted according to the boat type



Item No.	Size
83B37A	L8'xW61"/67"x H46"/54"
83B37B	L8'xW73"/78"x H46"/54"
83B37C	L8'xW85"/90"x H46"/54"

» SIMPLE BIMINI TOP

new



Nylon Fitting



Stainless Steel Support Rod




Water Repellent Uv Resistance



Elastic Retaining Buckle

- Double-walled main bow legs for maximum strength and free quick release mounts
- Packaging volume reduced by 50%, Easier to carry and store, improving convenience




Item No.	Size
83B18A	L6'xW54-60"x H46"
83B18B	L6'xW61-66"x H46"
83B18C	L6'xW67-72"x H46"
83B18D	L6'xW73-78"x H46"
83B18E	L6'xW79-84"x H46"
83B18F	L6'xW85-90"x H46"


» 4 BOW ALUMINUM SQUARE TUBE BIMINI TOP (ALUMINUM FITTING)



Spring Clip Make Quick Installation



Aluminum Fittings




Aluminum Deck Mount



Zipper Sleeves

- Bright anodized, aluminum square 1" frame
- 100% Polyester marine grade
- Bimini sock and adjustable strap included
- Water repellent, UV resistance



Item No.	Size
80B33E	L8'xW79-84"xH54"
80B33F	L8'xW85-90"xH54"
80B33G	L8'xW91-96"xH54"
80B33H	L8'xW97-103"xH54"


» 3 BOW STAINLESS STEEL TUBE BIMINI TOP




D-ring And Polyethylene Strap



Ss316 Top Cap & Slide




Water Repellent Uv Resistance



Ss316 Deck Mount

- Polished 7/8" stainless steel round tube frame
- 100% Polyester marine grade
- Bimini sock and adjustable strap included
- Water repellent, UV resistance



Item No.	Size
80B13B	L6'xW61-66"xH46"
80B13C	L6'xW67-72"xH46"
80B13D	L6'xW73-78"xH46"
80B13E	L6'xW79-84"xH46"
80B13F	L6'xW85-90"xH46"
80B13G	L6'xW91-96"xH46"
80B13H	L6'xW97-103"xH46"

» 4 BOW ALUMINUM SQUARE TUBE BIMINI TOP (NYLON FITTING)



Spring Clip Make Quick Installation



Nylon Fitting




Heavy Duty Nylon Deck Mount



Zipper Sleeves

- Bright anodized, aluminum square 1" frame
- 100% Polyester marine grade
- Bimini sock and adjustable strap included
- Water repellent, UV resistance



Item No.	Size
80B33E	L8'xW79-84"xH54"
80B33F	L8'xW85-90"xH54"
80B33G	L8'xW91-96"xH54"
80B33H	L8'xW97-103"xH54"

» 4 BOW ALUMINUM SQUARE TUBE BIMINI TOP (ALUMINUM FITTING)



Item No.	Top Size	Boat Size
80B04A	52"x42"x36"	83"x53" 91"-94"x53"
80B05B	59"x45"x39"	102"-106"x63" 114"-118"x63"
80B06D	65"x51"x43"	126"-130"x63" 146"-150"x67"
80B23E	71"x57"x47"	158"x71" 165"-169"x71" 181"-185"x71"
80B55E	83"x63"x51"	197"x83" 217"x83"

» KAYAK BIMINI TOP



Item No.	Size
80B61A	59"x24"x39"
80B61B	59"x24"-28"x39"
80B61C	59"x32"-35"x39"
80B61D	71"x24"-28"x39"
80B61E	71"x32"-35"x39"

» BIMINI EXTENSION CANVAS



Item No.	Size
81B02A	59"x59"

» BIMINITOP REA SUPPORT POLE




Item No.	Size
80D29A	For 36"
80D29B	For 46"
80D29C	For 54"

» Boat & Beach Umbrella

new

- The anchorshade has a four-point locking height adjuster and sur-lock push up mechanism, allowing you to adjust to your boat as needed up to 8'.
- Easy to install with the adjustable straps



Item No.	Material	Size
80D96A	180g polyester fabric + aluminum	1.8x1.8m



MATERIAL:

- Good wrinkle resistance and shape retention
- With High strength and elastic recovery ability
- Firm and durable, wrinkle-resistant permanent
- Light Weight and light fastness
- Stable chemical properties, acid and alkali resistance
- Mould proof and mothproof

Fabric	Fabric Weight (g/m ²)	Threads per Unit Length	Color Fastness-Light	Hydrostatic Pressure	Warp Tearing Strength (kg)	UV
300D Polyester w/ PU Coating	175 ± 5g	108	200h, level 4 at USA standard	1000+	141.4kg	50+
300D Solution Dyed Polyester w/ PU Coating	175 ± 5g	108	500h, level 4 at USA standard	1000+	/	50+
600D Polyester w/ PU Coating	230 ± 5g	76	200h, level 4 at USA standard	1000+	200.5kg	50+
600D Solution Dyed Polyester w/ PU Coating	230 ± 5g	76	500h, level 4 at USA standard	1000+	184.9kg	50+
1200D Polyester w/ PU Coating	320 ± 5g	54	200h, level 4 at USA standard	1000+	259.2kg	50+

Oxford Fabric:

- Anti-Wrinkle treatment
- With high strong tear resistance
- High UV resistance
- Midewproof and high hydrostatic pressure



WATERPROOF



UV RESISTANCE




TEAR RESISTANCE




BREATHABLE

» T-TOP ROOF BOAT COVER



PVC free fabric that is free of harmful and carcinogenic chemicals (Prop 65 compliant for safety)




Integrated buckle & strap system



Zippered access with buckle attachment



Item No.	Size
81A06A	16-18.5'x98"
81A06B	17-19'x102"
81A06C	20-22'x106"
81A06D	22-24'x116"



» UNIVERSAL BOAT COVER



Quick release straps system and trailable



Elasticized hem corners provide a custom fit




Reinforced area with extra material




Double stitching and waterproof tape prevent water permeating

THE COVERS ARE USED TO THESE TYPES:



Item No.	Size	Description
80A01C	12' to 14' x 68"	V-Hull Fishing Boats
80A01N	14' to 16' x 68"	V-Hull Fishing Boats
80A01E	14' to 16' X 90"	V-Hull, Tri Hull Runabouts & Bass
80A01F	16' to 18.5' x 94"	Fishing, Ski, Bass
80A01G	17' to 19' x 96"	V-Hull runabouts & Bass. Except cuddy cabin
80A01H	20' to 22'x 100"	V-Hull runabouts & Bass. Except cuddy cabin
80A01M	24' to 26'x 108"	Runabouts boats cover
80A01L	25' to 28'x 102"	Runabouts boats cover

» FOUR STYLE TRAILABLE STRAPS SYSTEM AVAILABLE



» PONTOON BOAT COVER



Item No.	Size
80A03A	17-20'x96"
80A03B	21-24'x102"
80A03C	25-28'x102"

» PWC COVER




Item No.	Size
80A56A	96-105"
80A56B	106-115"
80A56C	116-135"
80A56D	137-140"

» INFLATABLE BOAT COVER



Item No.	Boat Size
80A02A	83"x53"
80A02B	95"x53"
80A02C	106"x53"
80A02D	116"x61"
80A02E	130"x67"
80A02F	154"x67"
80A02G	158"x75"
80A02H	169"x75"
80A02I	185"x75"
80A02J	197"x83"
80A02K	217"x83"
80A02L	236"x83"

» KAYAK BOAT COVER



300D or 600D Oxford fabric can be customized



Performance buckle

Apply to Various Kayaks



Item No.	Kayak Boat Size
80H15A	7.8-9FT
80H15B	9.3-10.5FT
80H15C	10.8-12FT
80H15D	12.3-13.5FT
80H15E	13.8-15FT
80H15F	15.3-16.5FT
80H15G	16.8-18FT

» KAYAK BOAT COVER



Item No.	Kayak Boat Size
80H01D	D-D10'x8'
80H01A	D-A13'x9.5'
80H01B	D-B16'x9.5'
80H01C	D-C18'x9.5'

Item No.	Kayak Boat Size
80H01E	D81"x120"
80H01F	D81"x144"
80H01G	D85"x168"
80H01H	D72"x192"
80H01I	D72"x211"
80H01J	D72"x259"
80H01K	D72"x274"
80H01L	D72"x302"

» SATLING BOAT COVER



Item No.	Sailing Boat
80A69A	Laser topcover polyester
80A69B	Optimist topcover polyester
80A69C	Valk topcover polyester
80A69D	16m2 topcover polyester
80A69E	Vaurien top cover polyester
80A69F	Splash top cover polyester
80A69G	Optimist Undercover Polyester

» JUMBO BOAT COVER



Item No.	Size
80A06C	17-18'x96"
80A06D	18-19'x96"
80A06E	19-20'x96"
80A06F	20-21'x104"
80A06G	21-22'x104"
80A06H	22-23'x104"
80A06I	23-24'x104"
80A06J	24-25'x104"
80A06K	25-26'x114"
80A06L	26-27'x114"

» CENTER CONSOLE BOAT COVER



Item No.	Size
80A67A	14'7"-15'6"x86"
80A67B	15'7"-16'6"x78"
80A67C	16'7"-17'6"x92"
80A67D	17'7"-18'6"x92"
80A67E	18'7"-19'6"x92"
80A67F	19'7"-20'6"x92"
80A67G	20'7"-21'6"x102"
80A67H	21'7"-22'6"x102"
80A67I	22'7"-23'6"x102"
80A67J	23'7"-24'6"x102"

» RUNABOUT BOAT COVER



Item No.	Size
80A11S	14'6"-15'5"x72"
80A11D	15'6"-16'5"x76"
80A11T	15'6"-16'5"x86"
80A11F	16'6"-17'5"x80"
80A11U	16'6"-17'5"x90"
80A11G	17'6"-18'5"x86"
80A11V	17'6"-18'5"x96"
80A11H	18'6"-19'5"x88"
80A11W	18'6"-19'5"x96"
80A11J	19'6"-20'5"x102"
80A11K	20'6"-21'5"x102"
80A11L	21'6"-22'5"x102"
80A11M	22'6"-23'5"x102"
80A11N	23'6"-24'5"x102"
80A11O	24'6"-25'5"x102"
80A11P	25'6"-26'5"x102"
80A11R	27'6"-28'5"x102"

» FULL OUTBOARD MOTOR COVER



Item No.	HP	Size
80A53A	UP-6HP	C49.6"x38.6"
80A53B	6-15HP	C55.1"x43.3"
80A53C	15-20HP	C59.1"x59.2"
80A53D	20-30HP	C65"x53.9"
80A53E	30- 60HP	C70.9"x56.7"
80A53F	60-100HP	C78.7"x66.9"
80A53G	100-150HP	C89"x74.8"
80A53H	175-225HP	C92.9"x76.8"
80A53I	225- 250HP	C97.6"x78.7"

» HALF OUTBOARD MOTOR COVER



Item No.	HP	Size
80A52A	10HP	L19.7xW11.4xH17.7"
80A52B	40HP	L24.2xW12.0xH18.9"
80A52C	100HP	L26.7xW13.7xH24.0"
80A52D	200HP	L28.7xW22.6x H34.2"

» CENTER CONSOLE COVER




Item No.	Size
80A59A	23x33x35"
80A59B	28x40x42"
80A59C	39x47x41"
80A59D	41x46x46"

» BOAT SEAT COVER




Item No.	Size
90F07A	22"Dx24"Wx25"H

» BOAT COVER SUPPORT POLE




Item No.	Size
80A51D	30.8"-8"


1. Pedestal seats 2. Sewing in motor hoods 3. With or without windshield

Boat type	Item No	Centre-Line Length	Max Beam Width	pictures
PRO STYLE BASS BOAT O/B	80A62A	14'6"	75"	
	80A62B	15'6"	75"	
	80A62C	16'6"	78"	
	80A62D	17'6"	80"	
	80A62F	18'6"	82"	
	80A62G	19'6"	96"	
	80A62H	20'6"	96"	
	80A62I	21'6"	96"	


Fit over entire deck area with top down

Boat type	Item No	Centre-Line Length	Max Beam Width	pictures
PONTOON BOAT (Fit over entire deck area with top down)	80A03H	16'	96"	
	80A03I	17'	96"	
	80A03J	18'	96"	
	80A03K	19'	96"	
	80A03L	20'	102"	
	80A03M	21'	102"	
	80A03N	22'	102"	
	80A03O	23'	102"	
	80A03P	24'	102"	
	80A03Q	25'	102"	
	80A03R	26'	102"	
	80A03S	27'	102"	
	80A03T	28'	102"	


Fit over fenced area only

Boat type	Item No	Centre-Line Length	Max Beam Width	pictures
PONTOON BOAT (Fit over fenced area only)	80A03H01	16'	96"	
	80A03I01	17'	96"	
	80A03J01	18'	96"	
	80A03K01	19'	96"	
	80A03L01	20'	102"	
	80A03M01	21'	102"	
	80A03N01	22'	102"	
	80A03O01	23'	102"	
	80A03P01	24'	102"	
	80A03Q01	25'	102"	
	80A03R01	26'	102"	
	80A03S01	27'	102"	
	80A03T01	28'	102"	


1. Dual console or walk-thru windshield 2. Removable or folded pedestal seats 3. Wide transom boats

Boat type	Item No	Centre-Line Length	Max Beam Width	pictures
V-HULL FISH & SKI BOATS O/B	80A63A	16'6"-17'5"	84"	
	80A63B	17'6"-18'5"	92"	
	80A63C	18'6"-19'5"	92"	
	80A63D	19'6"-20'5"	96"	
	80A63F	20'6"-21'5"	102"	
	80A63G	21'6"-22'5"	102"	
	80A63H	22'6"-23'5"	102"	


1. Low profile v-hull ski boats with flat decks 2. With or without windshield.

Boat type	Item No	Centre-Line Length	Max Beam Width	pictures
TRADITIONAL SKI BOAT O/B	80A64A	14'6"-15'5"	80"	
	80A64B	15'6"-16'5"	80"	
	80A64C	16'6"-17'5"	84"	
	80A64D	17'6"-18'5"	90"	
	80A64F	18'6"-19'5"	96"	
	80A64G	19'6"-20'5"	96"	
	80A63H	20'6"-21'5"	96"	


1. Big "V" wide bow Tri-Hulls 2. Wide walk-thru windshields 3. Bow-rails under 6" (150mm)

Boat type	Item No	Centre-Line Length	Max Beam Width	pictures
TRI-HULL BOATS O/B	80A65A	15'7"-16'6"	86"	
	80A65B	16'7"-17'6"	86"	
	80A65C	17'7"-18'6"	92"	
	80A65D	18'7"-19'6"	96"	
	80A65E	19'7"-20'6"	102"	


1.Center console with heights up to 54"(including windscreen) 2. Blunt bow 3. Bow-rails up to 6" (150mm)

Boat type	Item No	Centre-Line Length	Max Beam Width	pictures
SQUARE BOW CENTER CONSOLE FISHING BOATS	80A67A	14'7"-15'6"	86"	
	80A67B	15'7"-16'6"	78"	
	80A67C	16'7"-17'6"	92"	
	80A67D	17'7"-18'6"	92"	
	80A67F	18'7"-19'6"	92"	
	80A67G	19'7"-20'6"	92"	
	80A67H	20'7"-21'6"	102"	
	80A67I	21'7"-22'6"	102"	
	80A67J	22'7"-23'6"	102"	
	80A67K	23'7"-24'6"	102"	


1. Specially designed to fit open boats 2. Removable pedestal seats 3. Fits without windscreen

Boat type	Item No	Centre-Line Length	Max Beam Width	pictures
BASIC V-HULL FISHING BOAT O/B	80A14A	11'7"-12'6"	66"	
	80A14B	12'7"-13'6"	68"	
	80A14C	13'7"-14'6"	72"	
	80A14D	14'7"-15'6"	76"	
	80A14E	15'7"-16'6"	85"	
	80A14F	16'7"-17'6"	85"	
	80A14G	17'7"-18'6"	85"	


1. Bow-rails under 6"(150mm) 2. Windscreen up to 23" (600mm) in height

Boat type	Item No	Centre-Line Length	Max Beam Width	pictures
V-HULL RUNABOUTS O/B	80A11C	13'6"-14'5"	68"	
	80A11S	14'6"-15'5"	72"	
	80A11D	15'6"-16'5"	76"	
	80A11T	15'6"-16'5"	86"	
	80A11F	16'6"-17'5"	80"	
	80A11U	16'6"-17'5"	90"	
	80A11G	17'6"-18'5"	86"	
	80A11V	17'6"-18'5"	96"	
	80A11H	18'6"-19'5"	88"	
	80A11W	18'6"-19'5"	96"	
	80A11J	19'6"-20'5"	102"	
	80A11K	20'6"-21'5"	102"	
	80A11L	21'6"-22'5"	102"	
	80A11M	22'6"-23'5"	102"	
	80A11N	23'6"-24'5"	102"	
	80A11O	24'6"-25'5"	102"	
80A11P	25'6"-26'5"	102"		
80A11R	27'6"-28'5"	102"		


1. Bow-rails up to 6"-18" (150-450mm), reduced cockpit 2. High windshields (900mm in height) 3. Does not accommodate extended swim platforms

Boat type	Item No	Centre-Line Length	Max Beam Width	pictures
V-HULL CUDDY CABIN O/B	80A09C	16'7"-17'6"	92"	
	80A09D	17'7"-18'6"	92"	
	80A09E	18'7"-19'6"	102"	
	80A09F	19'7"-20'6"	102"	
	80A09G	20'7"-21'6"	102"	
	80A09H	21'7"-22'6"	102"	
	80A09I	22'7"-23'6"	102"	
	80A09J	23'7"-24'6"	102"	
	80A09K	24'7"-25'6"	102"	
	80A09L	25'7"-26'6"	102"	


1. Open or closed bow-style Runabouts and low profile cuddy cabin curved glass windshields 2. Bow-rails under 6"(150mm) and windscreen up to 23" (600mm) in height

Boat type	Item No	Centre-Line Length	Max Beam Width	pictures
EURO V-HULL RUNABOUTS O/B	80A61A	15'6"-16'5"	82"	
	80A61B	16'6"-17'5"	88"	
	80A61C	17'6"-18'5"	96"	
	80A61D	18'6"-19'5"	100"	
	80A61F	19'6"-20'5"	102"	
	80A61G	20'6"-21'5"	102"	
	80A61H	21'6"-22'5"	102"	
	80A61J	22'6"-23'5"	102"	
	80A61K	23'6"-24'5"	102"	
	80A61L	24'6"-25'5"	102"	
	80A61M	25'6"-26'5"	102"	
80A61N	26'6"-27'5"	102"		
80A61O	27'6"-28'5"	102"		


1. Bow-rails up to 6"-18" (150-450mm), reduced cockpit 2. High windshields (900mm in height) 3. Accommodate extended swim platforms

Boat type	Item No	Centre-Line Length	Max Beam Width	pictures
EURO V-HULL CUDDY CABIN O/B	80A68O	17'7"-18'6"	102"	
	80A68E	18'7"-19'6"	102"	
	80A68F	19'7"-20'6"	102"	
	80A68G	20'7"-21'6"	102"	
	80A68H	21'7"-22'6"	102"	
	80A68I	22'7"-23'6"	102"	
	80A68J	23'7"-24'6"	102"	
	80A68K	24'7"-25'6"	102"	
	80A68L	25'7"-26'6"	102"	
	80A68P	26'6"-27'5"	102"	
	80A68Q	27'7"-28'6"	102"	


1. Wide V-Hulls 2. Bow-rails up to 6"-18" (150-450mm), 3. Large cockpit, walk around windshield

Boat type	Item No	Centre-Line Length	Max Beam Width	pictures
WALK AROUND CUDDY CABIN BOATS O/B	80A69A	19'7"-20'6"	102"	
	80A69B	20'7"-21'6"	102"	
	80A69C	21'7"-22'6"	102"	
	80A69D	22'7"-23'6"	102"	
	80A69E	23'7"-24'6"	102"	
	80A69F	24'7"-25'6"	102"	
	80A69G	25'7"-26'6"	102"	
	80A69H	26'6"-27'5"	102"	
	80A69I	27'7"-28'6"	102"	
	80A69J	28'7"-29'6"	102"	
	80A69K	29'7"-30'6"	102"	
	80A69L	30'7"-31'6"	102"	
	80A69M	31'7"-32'6"	102"	


1. Steering consoles with low or no windscreens 2. Low profile full windshields 3. Standard seating


Boat type	Item No	Centre-Line Length	Max Beam Width	pictures
DECK BOATS O/B	80A66A	16'7"-17'6"	90"	
	80A66B	17'7"-18'6"	102"	
	80A66C	18'7"-19'6"	102"	
	80A66D	19'7"-20'6"	102"	
	80A66F	20'7"-21'6"	102"	
	80A66G	21'7"-22'6"	102"	
	80A66H	22'7"-23'6"	102"	
	80A66I	23'7"-24'6"	102"	
	80A66J	24'7"-25'6"	102"	
	80A66K	25'7"-26'6"	102"	
	80A66L	26'7"-27'6"	102"	
	80A66M	27'7"-28'6"	102"	

- 1.Center console with heights up to 54"(including windscreen) 2. V-Hull shallow draft hulls with wider beams
3.Bow-rails up to 6" (150mm)

Boat type	Item No	Centre-Line Length	Max Beam Width	pictures
BAY STYLE V-HULL CENTER CONSOLE FISHING BOATS O/B	80A16A	14'7"-15'6"	90"	
	80A16B	15'7"-16'6"	90"	
	80A16C	16'7"-17'6"	90"	
	80A16D	17'7"-18'6"	96"	
	80A16E	18'7"-19'6"	102"	
	80A16F	19'7"-20'6"	102"	
	80A16G	20'7"-21'6"	102"	
	80A16H	21'7"-22'6"	102"	
	80A16I	22'7"-23'6"	102"	

1. Height up to 1.35m-1.5m 2. Fit most popular center console and walk around cuddy styles

Boat type	Item No	Centre-Line Length	Max Beam Width	pictures
T-TOP BOAT COVER	80A08A	17-18'	96"	
	80A08B	18-19'	96"	
	80A08R	19-20'	96"	
	80A08D	20-21'	96"	
	80A08E	21-22'	104"	
	80A08F	22-23'	104"	
	80A08G	23-24'	104"	
	80A08H	24-25'	104"	
	80A08I	25-26'	114"	
	80A08J	26-27'	114"	
	80A08K	27-28'	114"	
	80A08L	28-29'	114"	



» STAINLESS STEEL BOAT LADDER

Stainless steel,upgraded and thickened,600lbs

Mirror polished, marine stainless steel,corrosion resistant

Anti-slip rall design,improve climbing

Corrosion resistance and high temperature resistance

Foldable and lighter

Built in non-slip plug,properly telescopic


Item No.	Size	Step
80F06A	H17.5"xL18.1xW"15"	4



Built-in non-slip plug, properly telescopic



Mirror polished corrosion resistant



Anti-slip rubber ensure safety



Item No.	Size	Step
80F06B	H16.5"xL18.1xW"14.5"	4



Item No.	Size	Step
80F02F	13.5"-23.5"x10"	2
80F02G	14.5"-35"x10"	3



Item No.	Size	Step
80F02J	12.6-23.6"x7.87"	2+1
80F02K	17.7-34.6"x9.25"	2+2
80F02L	28.7-42.7"x9.25"	3+1
80F02M	23.9-42.7"x10"	2+3
80F02N	28.7-51.8"x10"	3+3



Item No.	Size	Step
80F06G	23"x50"x23.6"	4



Item No.	Size	Step
80F02H	14.5"-35"x14"	3
80F02A	15.5"-45.5"x14"	4



Item No.	Size	Step
80F02P	23.5"x14"	2
80F02Q	35"x14"	3
80F02R	45.5"x14"	4



Item No.	Size	Step
80F02S	0.75"T x18"W x14"D	1
80F02T	0.75"T x18"W x14"D	2
80F02U	0.75"T x18"W x14"D	3
80F02V	0.75"T x18"W x14"D	4

» ALUMINUM BOAT LADDER

High quality aluminum material keeps anti-corrosion and anti-rust
 Light weight material easy to install and remove
 Wide application



Item No.	Size	Step
80F01A	57.1"x14.6"x3.1"	3
80F01B	63.8"x14.6"x3.1"	4
80F01C	74.4"x14.6"x3.1"	5



Stainless steel fasteners keep high structural strength



Anti-slip rail design, ensure safety

» ALUMINUM BOAT LADDER



Item No.	Size	Step
80F09D	20.9"x15.4"x57.5"	3
80F09F	20.9"x15.4"x69.3"	4
80F09G	20.9"x15.4"x81.1"	5



Item No.	Size	Step
80F09E	33.7"x20.9"x8.3"	3
80F09H	48"x20.9"x6.3"	4
80F09I	58.3"x20.9"x6.3"	5
80F09J	73.6"x22.6"x5.7"	7




Item No.	Size	Step
80F09A	28"x17.5"x24"	3


WATER SPORTS



» SURFBOARD STYLE





» HOW TO CHOOSE BEST SIZE FOR YOU?



» SUP INFLATABLE SURFBOARD

Professional design ,maximum capacity is up to 350lbs
 Ultra durable,constructed with multi-layer wearable PVC material
 se new composite double-layer environmental protection materials
 The normal working pressure is 10-15psi and themaximum
 charging pressure is 18PSI
 Suggested handbag and repair tools are provided.


Item No.	Size
80W03A	9"x31"x6"
80W03B	10"x31"x6"
80W03C	11"x31"x6"
80W03D	12"x31"x6"
80W03E	12.6"x31"x6"
80W03F	14"x31"x6"



» SURFBOARD

Material:EPS+6OZ fiberglass+epoxy resin adhesive
 Professional design,maximum capacity is upto 350 lbs
 The extra beam in the inner core makes the structurdstrong enough
 Includes three fins for easy mounting and removal

Item No.	Size
80W01A	5'0"-5'5"
80W01B	5'6"-5'8"
80W01C	5'10"-6'0"
80W01D	6'2"-6'4"
80W01E	6'6"-6'8"
80W01F	6'10"-7'0"
80W01G	7'2"-7'4"
80W01H	7'6"-7'8"
80W01I	8'0"-8'2"
80W01J	8'4"-8'6"
80W01K	8'8"-9'0"
80W01L	9'2"-9'4"
80W01M	9'6"-9'8"



» SUP SURFBOARD

Material:EPS+6Oz fiberglass+epoxy resin adhesive

Ideal for lake yoga and surfing

Professional design,maximum capacity is up to 350 lbs

Additional EVA material increases frictionand improves grip


Includes three fins for easy mounting and removal

Large Anti-Slip Cushioned Deck Pad for comfort and secure footing
Sport Type: Yoga

Item No.	Size
80W02A	10'6"X32"X4.75"
80W02B	11'0"x31"x4.5"
80W02C	11'6"x32"x4.75"
80W02D	12'0"x32.5"x5"
80W02E	12'6"x32"x5.25"



Features (3) Bottom Panels Fins for speed, steering & Maneuverability



Anti-slip cushioned deck padfor secure footing

KAYAK ACCESSORIES




» SS SIT ON TOP KAYAK CART

Welded stainless steel construction
 Wheels are easily removable for storage
 Powerful EVA mats prevents slipping
 Loads up to 220 LBS

Item No.	Size
80H12E	34"x19"x12"



Wheels are easily removable for storage



Durable tires make it easy to handle any surface

» KATAK TROLLEY



Item No.	Size
80H02A	26.7"x15.7"x15.7"



Item No.	Size
80H02M	24.8"x14.5"x12"





Item No.	Size
80H02E	26.5"x15.7"x15.7"



Item No.	Size
80H02X	28"x15.7"x13.7"



Item No.	Size
80H02B	32.6"x25.5"



Item No.	Size
80H02J	26.5"x20.5"



Item No.	Size
80H02C	28"x15.7"x13.7"



Item No.	Size
80H02D	29"x15"x5.5"



Item No.	Size
80H02G	25.5"x24"



Item No.	Size
80H02R	(24-32)"x25.4"



Item No.	Size
80H02L	23.6"x14.5"x12.2"



Item No.	Size
80H02W	(4-27.5)"x17.7"

» EVA KAYAK SEAT

Neoprene+600D Polyester material, inter layer EVA foam+PEplate
 Non-slip contoured padded seat surface and high backrest design
 Front and back straps, can be adjusted
 FREEdetachable seat bag included

Item No.	Size
80H07B	Seat size 21.6"x18.5" Back size 15.7"x12.5"



BASIC KAYAK SEAT

DELUXE KAYAK SEAT CAMOUFLAGE

DETACHABLE SUP KAYAK SEAT



Item No.	Size	Backrest thickness
80H07A	26.7"x34"x16.5"	0.55"

Item No.	Size	Backrest thickness
80H07L	20"x17.7"x16.5"	0.55"

Item No.	Size	Backrest thickness
80H07N	18.9"x18.1"x4"	0.4"

» COLLAPSIBLE BOAT CHAIR



Neoprene+600D Polyester material, inter layer EVA foam+PEplate
 Non-slip contoured padded seat surface and high backrest design
 Front and back straps, can be adjusted
 FREEdetachable seat bag included

Item No.	Size
80D95I	19.7"x18.1"x3.9-7.8"



Height three gear adjustment



» KAYAK PADDLE



Item No.	Size
80Y01D	25.5"-37.75"-55"

Item No.	Size
80Y01E	70.8"



MARINE ACCESSORIES



» BOAT FENDER-EVA



- Our Marine fenders are made of robust EVA foam material to provide comprehensive cushioning and effectively absorb and disperse collision forces.
- We offer custom, these fenders not only ensure functionality, but also enhance the visual appeal of your boat.



Item No.	Size
80E20A	17.3x8.6"x3.7"



Item No.	Size
80E20F	16.7"x7.48"x3.5"

» BOAT FENDER-EVA



- The whole board is made of material, the top and bottom are provided with rope buckle, which is used to pass the rope and bind to the side of the ship, providing better collision resistance
- The left and right sides are equipped with integrated molding handles, which can be grabbed by children when playing in the water and used as a floating board
- Front and rear splices can be used as float plates



Item No.	Size	Weight
80E22B	25.6"x13.7"x2.6"	6.8kg



» G BOAT FENDER




G-Series



Item No.	80E01A	80E01B	80E01C	80E01D	80E01E
MODEL	G1	G2	G3	G4	G5
SIZE (DIAMETER X LENGTH)	4.5X16"	5.5X20"	6.5X23"	8.5X27"	10X30"
EYE DIAMETER	1/2"	1/2"	5/8"	5/8"	
RECOMMEND BOAT LENGTH	10-20FT	15-20FT	20-30FT	25-35FT	

» F BOAT FENDER

Environmentally friendly vinyl, resistant to acid,alkali, salinization corrosion
 Strengthen wall thickness more than 3.8mm, upgraded anti-aging
 Concave-convex design, upgrade double anti-collision and anti-pressure ability
 Buoyancy 210LBS, resistant to deep water 50-500m



Item No.	Model	Size	Weight
80E16A	F1	6"x24"	15x61CM 1KG
80E16B	F2	8"x24"	21x61CM 1.8KG
80E16C	F3	8"x30"	21x75CM 2.2KG
80E16D	F4	8"x41"	21x104CM 2.8KG
80E16E	F5	8"x30"	21x78CM 6KG
80E16F	F6	8"x43"	21x109CM 6.2KG
80E16G	F7	15"x40"	37.5x102CM 8.2KG
80E16H	F8	15"x57"	37.5x144CM 10.2KG



Wall Thickness 3.8mm
 Bearing 2000lbs

new

» A BOAT FENDER



Item No.	80E02S	80E02T	80E02U	80E02V	80E02W
MODEL	A0	A1	A2	A3	A4
SIZE	7.5x11"	11.5x14.8"	12.5x19.7"	14.5x22.8"	20x25.6"
EYE DIAMETER	0.6 in	1 in	1.125 in	1.125 in	1.125 in
CIRCUMFERENCE	25.1 in	34.6 in	45.6 in	53.4 in	64.4 in
WEIGHT	600g	1160g	2100g	3100g	4000g



Item No.	Size
80E23B	23.2"x6.3"x2.9"




Item No.	Size
80E23F	10"x10"x2-1/2"

» HTM BOAT FENDER



Item No.	80E05E	80E05F	80E05G
MODEL	HTM-1	HTM-2	HTM-3
SIZE (DIAMETER X LENGTH)	6x15"	8x20"	10x26"
CENTER TUBE DIAMETER	5/8"	5/8"	5/8"
RECOMMEND BOAT LENGTH	20-30FT	20-30FT	34-40FT



Item No.	Size
80E23H	15"x15"x4"



Item No.	Size
80E23L	12"x18"
80E23M	12"x24"

» BOAT FENDER



Item No.	Size
80E23J	23.2"x6.3"x2.9"



Item No.	Size
80E23K	24.4"x3.9"x2.75"



Item No.	Size
80E07B	8.7x8.7x3.54"



Item No.	Size
80E07A	17.3x3.54"

» FENDER COVER

Recommend knitted stretch fabric
Accept customized sizes and colors



Item No.	Model
80K17P	F1
80K17E	F2
80K17F	F3
80K17G	F4
80K17H	F5
80K17I	F6
80K17Q	F7
80K17R	F8



Item No.	Size
80E06B	3'8"x47"
80E06C	3'8"x63"
80E06D	3'8"x71"

» BOAT ANCHOR KIT

Item No.	Size
80K05A	8.5lb



3/8 In triple strand nylon rope



Eye splice



75ft of 3/8" in rope



Hot Dipped Galvanized Steel



1/4 In hot dip galvanized chain



Hot dip galvanized bow shackles



6ft chain

» FOLDING ANCHOR KIT

Designed for outdoors, from sUP yoga to kayaking fishing
Provide PVC floating buoy with SS hook, easy touse

Item No.	Size
80K04A	3.5lbs



PVC floating buoy

Stainless steel Snap hook



Padded storage bag also include



Adventure ready 3.5lb anchor for life on the go

» FOLDING ANCHOR

Material upgraded, imported carbon steel S55Ccasting
 Hot dip galvanized surface, corrosion resistant
 Increase the width of 4 claws and resistance
 Free float solution for towing rope lost anchor



Item No.	Size	Fits
80K04A	1.5lb	boat length less 9ft
80K04M	3.5lb	boat length 11ft
80K04C	5.5lb	boat length 11ft
80K04C	7lb	boat length 5-16ft
80K04N	9lb	boat length 5-18ft

» DANFORTH ANCHOR/FLUKE ANCHOR



Item No.	Size	Fits
80K05O	4lb	boat length less than 15ft
80K05P	8lb	boat length 16-21ft
80K05Q	10lb	boat length 21-25ft
80K05R	16lb	boat length 25-32ft

» BRUCE ANCHOR



Item No.	Size	Fits
80K03B	4.4lb	boat length 18ft
80K03E	11lb	boat length 23ft
80K03G	22lb	boat length 30ft
80K03H	33lb	boat length 40ft

» PVC COATED ANCHOR



Item No.	Size
80K02A	3.5LB
80K02B	5LB
80K02C	7.5LB
80K02D	10LB

» YACHT ANCHOR



Item No.	Size
80K06A	8LB fit for boat length 18ft
80K06B	10LB fit for boat length 23ft
80K06C	15LB fit for boat length 24-31ft
80K06D	22LB fit for boat length 32-41ft

» MUSHROOM ANCHOR



Item No.	Size
80K09A	8LB
80K09B	10LB
80K09C	15LB

» SEA ANCHOR KIT



Item No.	Size
80K01A	L21.6"xD21.6"
80K01B	L29.5"xD23.6"
80K01C	L49.2"xD49.2"

» STAINLESS STEEL SINGLE CROSS BOLLARD



Item No.	Dia	Height	Width
80K12E	50mm	3.54"	5.12"
80K12F	60mm	4.33"	6.3"
80K12G	70mm	5.11"	7.09"
80K12H	80mm	5.91"	7.87"
80K12I	90mm	6.3"	10"



Item No.	Weight	Height	Base
80K12A	5.7lbs	7.25"	4.5"

» SS BOW ANCHOR ROLLER



Item No.	Length	Size	Height
80K11A	7-3/4"	3-3/4"x2-1/4"	3"
80K11B	8-7/8"	5x2-1/4"	3"
80K11C	9-7/8"	5.8x2-1/4"	3"



Item No.	Length	Width	Roller size
80K12E	19"	3.5"	3"x3"



Item No.	Length	Width
80K11F	19.5"	3.3"/3.8"

» SS BOW ANCHOR ROLLER

new



Item No.	Size
80D94F	7/8" - 1"



Item No.	Size
80D94A	31.49"
80D94B	39.3"
80D94C	47.2"
80D94D	55.1"



Item No.	Size
80D94A	16"L x 5"W

» HAND WINCH

2" Polyester webbing strap, 20FT long has excellent UV resistance
 Hand winch is small in size, light in weight and widely used
 Comfortable grips reduce fatigue
 Easy to install and operate




Item No.	Size
80N01A	600LB
80N01B	800LB
80N01C	1000LB
80N01D	1200LB
80N01E	1400LB
80N01F	1600LB
80N01G	1800LB
80N01H	2000LB
80N01I	2500LB
80N01J	3200LB
80N01K	1500LB

» Boat floor mat



- High quality closed cell EVA foam offers great heat resistance, water resistance and class 3 UV stability, durability in harsh climates.
- Use scissors or a utility knife to cut and trim EVA foam boat pieces into different shapes and sizes to fit the shape of your boat.
- Easy to clean and replace, providing your boat with a non-slip surface in both wet and dry conditions.



Item No.	Size	Materials
80M06A	94.4"x47.2"	EVA
	94.4"x35.4"	EVA
	94.4"x23.6"	EVA
	94.4"x17.7"	EVA


Item No.	Size	Materials
80M06B	74.8"x66.9"	EVA

» Contour Low Profile Hatch



- Made of anodized aluminium and fitted with smoked tempered glass lens, CE approved.
- Hidden hinges on the profile, adjustable dogs with outside opening option and locked vent position
- The product is available in black.

Item No.	Handle Quantity	Hole Size (mm)	Product Size (mm)	Total Height (mm)	Deck Thickness (mm)	Weight (kg)
71C51D	1	210x210	276x276	27.5	15	2.33
71C51E	1	260x260	325x325	27.5	15	2.95
71C51F	1	360x360	425x425	27.5	15	4.52
	2	421x421	486x486	27.5	15	5.88
	2	442x442	507x507	27.5	15	6.24
	2	450x450	515x515	27.5	15	6.38
	2	507x507	572x572	27.5	15	7.46
	2	600x600	667x667	27.5	15	9.50
	2	627x627	692x692	27.5	15	10.0






» Contour Low Profile Hatch

- Made of anodized aluminium and fitted with smoked tempered glass lens, CE approved.
- Hidden hinges on the profile, adjustable dogs with outside opening option and locked vent position
- The product is available in black.


Item No.	Handle Quantity	Hole Size (mm)	Product Size (mm)	Total Height (mm)	Deck Thickness (mm)	Weight (kg)
71C51G	1	176x231	296x241	27.5	15	2.20
71C51H	1	202x347	412x267	27.5	15	3.06
71C51I	2	327x457	522x392	27.5	15	5.29
	2	392x507	572x442	27.5	15	6.30
	2	377x507	572x457	27.5	15	6.24



» Contour Low Profile Hatch

- Made of anodized aluminium and fitted with smoked tempered glass lens, CE approved.
- Hidden hinges on the profile, adjustable dogs with outside opening option and locked vent position
- The product is available in black.

Item No.	Handle Quantity	Hole Size (mm)	Product Size (mm)	Total Height (mm)	Deck Thickness (mm)	Weight (kg)
71C51A	1	φ278	φ343	27.5	15	2.70
71C51B	1	φ318	φ383	27.5	15	3.30
71C51C	2	φ420	φ485	27.5	15	4.78
	2	φ480	φ545	27.5	15	5.70
	2	φ522	φ587	27.5	15	6.25



» FISHING ROD HOLDER



Item No.
80J04A

» DRINK HOLD



Item No.
80J04H

» RAILMOUNT ROD HOLDER EXTENDER



Item No.
80J04N



RIB PORT

Item No.
80J04C



SIDE PORT

Item No.
80J04E



BASIC PORT

Item No.
80J04D



RAIL MOUNTS

Item No.
80J04B



» CLEAT PORT



Item No.
80J04I

» ROWLOCKS



Item No.
80J04K

» TRACMOUNT KIT

Item No.
80J04M



» RAILMOUNT32-41



Fit for 32-41mm round tube




Fit for 31.6mm square tube

Item No.
80J04O

» PE Waterproof Tarpaulin

new

- PE new waterproof material, double-sided coating, edge punching.
- Four seasons universal anti-aging, enhanced sunscreen insulation.



Item No.	Size
90D22A	5'X7'
90D22B	6'X8'
90D22C	8'X10'
90D22D	9'X12'
90D22E	10'X10'
90D22F	10'X12'
90D22G	10'X15'
90D22H	10'X20'
90D22I	10'X22'
90D22J	12'X12'
90D22K	12'X14'
90D22L	12'X16'

Item No.	Size
90D22M	12'X20'
90D22N	12'X22'
90D22O	12'X25'
90D22P	15'X20'
90D22Q	15'X25'
90D22R	15'X30'
90D22S	16'X20'
90D22T	18'X24'
90D22U	20'X20'
90D22V	20'X25'
90D22W	20'X30'
90D22X	20'X35'

Item No.	Size
90D22Y	20'X40'
90D22Z	24'X36'
90D23A	25'X40'
90D23B	30'X30'
90D23C	30'X40'
90D23D	30'X50'
90D23E	30'X60'
90D23F	40'X40'
90D23G	40'X50'
90D23H	40'X60'
90D23I	50'X50'
90D23J	50'X100'
90D23K	100'X100'

» ANCHOR WINDLASS



Item No.
80D95G

» SOLAR PANEL HOLDER



Item No.
80D95H

MARINE BBQ



» **GAS GRILL**


Silver - plated aluminum anodizing treatment, corrosion resistant, easy to clean
 Stainless steel 304 baking tray, Easy to clean
 Use standard disposable gas tank for easy operation
 Adjustable mounting bracket is 68-88 cm high, fit for use on boat or outdoor
 Mounting bracket and oven can be sold separately for easy disassembly



Item No.	Size
80T15A	19.7"x15.7"x11.8"



U-shaped heating tube, uniform temperature



SS 304 baking tray, easy to clean




Standard disposable gas, easy to carry

» **GAS GRILL**


Silver - plated aluminum anodizing treatment, corrosion resistant, easy to clean
 Stainless steel 304 baking tray, Easy to clean
 Use standard disposable gas tank for easy operation
 Adjustable mounting bracket is 68-88cm high, fit for use on boat or outdoor
 Mounting bracket and oven can be sold separately for easy disassembly



Item No.	Size
80Z01B	26.7"x17.7"x19.6"



U-shaped heating tube, uniform temperature



SS 304 baking tray, easy to clean



Standard disposable gas, easy to carry

» **GAS GRILL**

new


Bracket adjustable Angle,Stainless steel 304 baking tray,Easy to clean
 Use standard disposable gas tank for easy operation
 Adjustable mounting bracket is 68-88cm high,fit for use on boat or outdoor
 Mounting bracket and oven can be soldseparately for easy disassembly



Item No.	Size
80Z05C	26.7"x17.7"x19.6"



U-shaped heating tube, uniform temperature



SS 304 baking tray, easy to clean



Standard disposable gas, easy to carry

» **201 STAINLESS STEEL +304 STAINLES**



Item No.	Size
70A31A	16.7"x16.5"x14.2"

» **GAS GRILL**



Item No.	Size
80Z01E	9"x3.9"x4.7"

Item No.	Size
80Z01F	11.4"x1.25"x2.5"

CANVAS BAG

» CANVAS BAG

new

Canvas bag customization, our factory has thermal sublimation, screen printing, digital printing and other production processes.

